

BRUSH CUTTERS



CG431



CMX2402



CG101



CANYCOM

Toll Free: 1-888-450-0381
Phone: 425-450-0381
Fax: 425-450-0384

16000 Christensen Road, Suite 308
Tukwila, WA 98188
e-mail: info@canycomsales.com

www.canycomsales.com

RIDE-ON BRUSH CUTTERS

Canycom 4WD CMX Ride-on Brush Cutters are made for use in tough commercial applications and on steep slopes and tight quarters.

- Features:
- Shaft driven mower deck for increased power
 - Cutter deck ground clearance over 6"
 - Four Wheel Drive
 - Hydrostatic transmission




CMX1402

- Width – 39.6"
- GX390 Engine – 389 CC
- Weight – 720 lbs.



CMX2402

- Width – 39.6"
- GX690 Engine – 688 CC
- Weight – 750 lbs.



FLAIL MOWERS

Canycom Flail Brush Cutters are suited for use in tough commercial applications on steep slopes and tight quarters.



CG101

- Width – 31.5”
- Max speed – up to 2.5 MPH
- Air Cooled 4 Cycle Engine – 10 HP
- Weight – 573 lbs.



CG431

- Self-leveling operator platform
- Width – 67”
- Max speed – 6 MPH
- Kubota Diesel Engine – 44 HP
- Weight – 4,409 lbs.
- Gradeability – 30 degrees



www.canycomsales.com

CANYCOM

FLAIL MOWERS

The CG431 with optional Trac-Ax (blade type cutters) is a heavy duty rubber track brush cutter with a self-leveling operator platform and low center of gravity. A bi-directional hydraulic cutting system allows you to operate twice as long between blade changes. A push bar keeps brush away from the machine and operator.



CG431 with Trac-Ax

- Effective on trees and brush up to 4" diameter
- Width – 60"
- Max speed – 6 MPH
- Kubota Diesel Engine – 44 HP
- Gradeability – 30 degrees
- Weight – 4,280 bs.



CANYCOM

Toll Free: **1-888-450-0381**
Phone: 1-425-450-0381

Fax: 425-450-0384
e-mail: info@canycomsales.com

16000 Christensen Road, Suite 308
Tukwila, WA 98188

www.canycomsales.com