

CANYCOM

CARRIER CATALOG

RUBBER TRACK DUMP CARRIERS



NEW!



SC75

S500



**CANYCOM
HEAVY DUTY**

1-888-450-0381
www.canycomsales.com

CANYCOM

TRACKED BUGGIES

Our flagship Canycom SC75 Rubber Track Buggies travel with ease over wet, muddy ground, rough, uneven terrain and loose sand and gravel.



SC75 Straight Dump

- Payload Capacity 2,200 lbs
- Top Speed 6 mph
- Weight 1,410 lbs
- Dimensions 106 x 35 x 54 in
- Honda GX690 Engine
- Poly and Steel Buckets Available

CANYCOM
HEAVY DUTY

SC75 Pivot Dump

- Payload Capacity 2,200 lbs
- Top Speed 6 mph
- Weight 1,631 lbs
- Dimensions 108 x 35 x 54 in
- Honda GX690 Engine
- 180° pivoting, Poly and Steel Buckets Available
- Gas, Propane, Electric, and Donaldson Filter Models available



www.canycomsales.com

CANYCOM

HEAVY DUTY RUBBER TRACK CARRIERS

Canycom Rubber Track Carriers are used extensively in construction, landscaping, trail building, and rental applications throughout the world. They are part of a growing market of compact power equipment in North America.

NEW!



S500

- Payload Capacity 11,000 lbs
- Dimensions 186 x 88 x 100 in
- Top Speed 8.6 mph
- Kubota V3800, 129 hp diesel
- Weight 14,500 lbs
- Enclosed/Heated Cab, Joystick Control



S300

- Payload Capacity 6,614 lbs
- Dimensions 145 x 64 x 94 in
- Top Speed 7 mph
- Kubota V2403, 48 hp diesel
- Weight 5,930 lbs
- 180° pivoting dump box



S160

- Payload Capacity 3,530 lbs
- Dimensions 112 x 44 x 94 in
- Top Speed 5 mph
- Kubota D902, 22 hp diesel
- Weight 3,086 lbs
- 180° pivoting dump box



S100

- Payload Capacity 2,646 lbs
- Dimensions 105 x 39 x 92 in
- Top Speed 4.4 mph
- Kubota D722, 21 hp diesel
- Weight 2,480 lbs
- 180° pivoting dump box

WALK-BEHIND CARRIERS

Canycom BP Walk-Behind Rubber Track Carriers and the SC45 and SC30EV Rubber Track Buggies are compact enough to pass through garden gates and doors and powerful enough to transport heavy loads up steep grades and over rough terrain.



BFP602

- Payload Capacity 1,000 lbs
- Dimensions 73 x 33 x 41 in
- Top Speed 3.4 mph
- Honda GX160 Engine
- Machine Weight 474 lbs
- Hydraulic Dump w/90° Dump Angle



BP419

- Payload Capacity 660 lbs
- Dimensions 85 x 27 x 52 in
- Top Speed 3.3 mph
- Honda GX120 Engine
- Machine Weight 418 lbs
- Manual Dump w/90° Dump Angle



SC30EV

- Payload Capacity 660 lbs
- Dimensions 91 x 29 x 45 in
- Top Speed 3.3 mph
- Electric Honda eGX w/2 batteries
- Machine Weight 463 lbs
- Hydraulic Dump w/90° Dump Angle



SC45

- Payload Capacity 1,000 lbs
- Dimensions 91 x 29 x 45 in
- Top Speed 3.3 mph
- Honda GX160 Engine
- Machine Weight 463 lbs
- Hydraulic Dump w/90° Dump Angle

1-888-450-0381

www.canycomsales.com

Canycom

425-450-0381

info@canycomsales.com

CANYCOM